



Declaration of conformity

For the following equipment:

Product Name: LED Driver

XLG-320-x-y (x=H, M, L; y=Blank , A, AB), XLG-320-V-A, XLG-320-V ,

Model Designation: XLG-320-48-B, XLG-320-H-BTE

is herewith confirmed to comply with the requirements set out in the Council Directive, the following standards were applied:

RoHS Directive (2011/65/EU), (EU)2015/863

Energy-Related Products Directive (2009/125/EC)
Implementing measure COMMISSION REGULATION(EC) No 2019/2020

Low Voltage Directive (2014/35/EU):

EN 61347-1:2015+A1:2021 EN 61347-2-13:2014+A1:2017 ENEC certificate No: 35-123429 ENEC certificate No: 35-123407

Electromagnetic Compatibility Directive (2014/30/EU):

EMI (Electro-Magnetic Interference)

Conducted emission / Radiated emission

Conducted Cimiodicin' Radio	atou emilociem		
	EN IEC 55015:2019+A11:2020		
Harmonic current	EN IEC 61000-3-2:2019+A1:2021		Class C
Voltage flicker	EN 61000-3-3:2013+A1:2019		
EMS (Electro-Magnetic Su	sceptibility)		
EN61547:2009			
ESD air	EN 61000-4-2:2009	Level 4	15KV
ESD contact	EN 61000-4-2:2009	Level 4	8KV
RF field susceptibility	EN IEC 61000-4-3:2020	Level 3	10V/m
EFT bursts	EN 61000-4-4:2012	Level 3	2KV/5KHz/Power line
EFT bursts	EN 61000-4-4:2012	Level 3	1KV/5KHz/Control line
Surge susceptibility	EN 61000-4-5:2014+A1:2017	Level X	4KV/Line-Line
Surge susceptibility	EN 61000-4-5:2014+A1:2017	Level X	6KV/Line-Earth
Surge susceptibility	EN 61000-4-5:2014+A1:2017	Level 2	1KV/Control Line-Earth
Conducted susceptibility	EN 61000-4-6:2014	Level 3	10V
Magnetic field immunity	EN 61000-4-8:2010	Level 4	30A/m

Voltage dip, interruption Note:

Component power supply will be operated with a final equipment. Since EMC performance will be affected by the complete installation, the final equipment manufacturers must re-qualify EMC Directive on the complete installation again.

Tests above are only to be performed with LEDs.

For guidance on how to perform these EMC tests, please refer to TDF (Technical Documentation File).

To fulfill requirements of the latest ErP regulation for lighting fixtures, this LED power supply can only be used behind a switch without permanently connected to the mains.

This Declaration is effective from serial number GC2xxxxxxx

Person responsible for marking this declaration:

MEAN WELL Enterprises Co., Ltd.

(Manufacturer Name)

No.28, Wuguan 3rd Rd., Wugu Dist., New Taipei City 24891, Taiwan

(Manufacturer Address)

Aries Jian/Director, Group R & D:

(Name / Position)

(Signature) ries

Alex Tsai/ Director, Product Strategy Center: (Name / Position)

EN IEC 61000-4-11:2020 $\,$ 70% residual voltage for 10 cycles , 0% residual voltage for 0.5 cycles

(Signature)

Taiwan

Apr. 25, 2022

(Place)

(Date)